

Document Code: D0042040**Version:** 7.0**Description:** LEMSIP HLD WITH DECO**Status:** Published**Revision Reason:** New packaging & new codes.**Issue Date:** 6 April 2009

PSDS

PSDS

PAGE 1 OF TOTAL 6

1. PRODUCT and COMPANY IDENTIFICATION**Product Name** Lemsip MAX Cold & Flu with Decongestant**Other Names** None**Product Code(s)**
0038226 Lemon 5 sachets New Zealand
0218222 Lemon 10 sachets Australia
0198775 Lemon 10 sachets New Zealand
0060189 Blackcurrant 5 sachets New Zealand
0218223 Blackcurrant 10 sachets Australia
0198776 Blackcurrant 10 sachets New Zealand**Recommended Use** Relief of colds and flu symptoms**Supplier****AUSTRALIA****COMPANY:** Reckitt Benckiser (Australia) Pty Limited
ABN: 17 003 274 655
ADDRESS: 44 Wharf Road
West Ryde NSW 2114
TELEPHONE: (02) 9857 2000**AFTER HOURS EMERGENCY TELEPHONE**
(5pm to 8am EST Australia): (02) 9857 2444**NEW ZEALAND****COMPANY:** Reckitt Benckiser (New Zealand) Limited
ADDRESS: Lincoln Manor
289 Lincoln Road
Henderson Auckland 1231
TELEPHONE: (09) 839 0200**Poisons Centre Information****AUSTRALIA** 13 1126

2. HAZARD(S) IDENTIFICATION

NON-HAZARDOUS ACCORDING TO NOHSC CRITERIA
NON-DANGEROUS GOODS ACCORDING TO ADG CODE (See Section 14)

RISK PHRASE(S) None
(See Section 15)

ENVIRONMENTAL RISK PHRASE None

SAFETY PHRASE(S) None allocated

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Proportion (%w/w)
Paracetamol	103-90-2	10-<30 (1000mg/sachet)
Phenylephrine hydrochlorine	61-76-7	<1 (12.2mg/sachet)
Other ingredients classified as not hazardous according to NOHSC		to 100

4. FIRST AID MEASURES

Eye Contact	Wash eyes with a large quantity of water. If irritation persists, contact a doctor.
Skin Contact	Wash off skin with soap and water. If irritation persists, contact a doctor.
Inhalation	Remove to fresh air. If breathing difficulties are experienced, seek medical attention.
Ingestion	If a total dose greater than 10 sachets is swallowed, induce vomiting or commence gastric aspiration or lavage. Contact a doctor or a Poisons Information Centre.
Advice to Doctor	Treat according to locally accepted protocols for paracetamol toxicity.

5. FIRE-FIGHTING MEASURES

Specific Dangers	None.
Flammability	Burns when exposed to strong ignition source and continues to burn when source is removed.
Extinguisher Type	Water, foam, carbon dioxide.
Hazchem code	None allocated

6. ACCIDENTAL RELEASE MEASURES

Emergency and Evacuation Procedures	Ensure adequate ventilation. Avoid inhalation of dust.
Minor Spills	Scoop up spill and place in disposal bin.

Major Spills Avoid generation of dusts. Shovel product into labelled containers and close lids tightly. Do not allow product to enter waterways.

7. HANDLING AND STORAGE

Handling No special requirements.

Storage Store in a cool dry area out of direct sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Standards No exposure standards have been set for any of the ingredients in this product.

Engineering Controls Handle bulk products in rooms with dust extraction equipment and/or adequate supply of clean fresh air.

Personal Protection Wear goggles and a dust mask fitted with a P2 particulate filter. Wear PVC gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid

Appearance Powder

Colour Lemon - Pale yellow
Blackcurrant - Pale lilac

Odour Lemon
Blackcurrant

pH 3 - 5 (solution)

Vapour Pressure Negligible

Vapour Density Not determined

Boiling Point Not determined

Melting Point 190-192°C (sucrose)

Solubility in Water Soluble

Specific Gravity Not determined

Flashpoint Not flammable

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Dangerous Reactions Dusts may form explosive mixtures in air.

Conditions to Avoid Prolonged exposure to high temperatures.

Decomposition Products

Products may include oxides of carbon.

11. TOXICOLOGICAL INFORMATION

Product Toxicity	The hazard identifications in Section 2 were derived from the known effects of the individual ingredients and their concentrations in the product.
Component Toxicity	Symptoms of overdose include vomiting, gastrointestinal haemorrhage, liver damage, cerebral oedema, renal tubular necrosis, hypotension and sweating. Liver damage may occur after ingestion of approximately 15g paracetamol (15 sachets) as a single dose; a single dose of 25g paracetamol (25 sachets) or more is potentially fatal. Symptoms of liver damage may take up to 3 days to develop but treatment should be initiated as soon as possible (within 5 hours of ingestion).

Summary of Product Toxicity Effects
Acute Effect(s)

Eye Contact	May cause irritation of the eye.
Skin Contact	No effects likely
Inhalation	May cause irritation to the upper respiratory tract.
Swallowed	No adverse effect likely if used as per label.
CHRONIC	No evidence of significant chronic toxicity.

12. ECOLOGICAL INFORMATION

Product Ecotoxicity	The ecotoxicity of this product has not been determined.
Component Ecotoxicity	Not available.

13. DISPOSAL CONSIDERATIONS

Disposal Method	Product should be treated according to the instructions given under sections 6,7 and 8 above. Dispose of according to Local, State and Federal regulations. Contact relevant authority for details.
------------------------	--

14. TRANSPORT INFORMATION

Road Transport Regulations (ADG 6)

UN number:	None allocated
Proper shipping name:	None allocated
DG class:	Not a DG
Subsidiary risk:	None allocated
Packing group:	None allocated
Hazchem code:	None allocated

Maritime Transport Regulations (IMDG)

UN number:	None allocated
Proper shipping name:	None allocated
DG class:	Not a DG
Subsidiary risk:	None allocated

Packing group: None allocated
Marine Pollutant: Not a Marine Pollutant

Air Transport Regulations (IATA)

UN number: None allocated
Proper shipping name: None allocated
DG class: Not a DG
Subsidiary risk: None allocated
Packing group: None allocated

15. REGULATORY INFORMATION

AUSTRALIA

Regulatory Status This product has been approved by TGA Australia.
Lemon AUST R 133862; Blackcurrant AUST R 133863

Hazardous Substances Regulation Not hazardous

Risk Phrase(s) None

Environmental Risk Phrase None

Safety Phrase(s) None allocated

SUSDP Not scheduled

NEW ZEALAND

Regulatory Status This product has been approved by the Ministry of Health (MoH) New Zealand.

Approved Handler Not required

Tracking Not required

16. OTHER INFORMATION

CONTACT POINT

AUSTRALIA and NEW ZEALAND

Regulatory, Safety & Environmental Services

From outside Australia Ph: (61) (2) 9857 2000

From within Australia Ph: (02) 9857 2000

The information contained in this MSDS was compiled using the latest and most reliable information available to Reckitt Benckiser. The information is provided without any warranty, expressed or implied regarding its correctness or accuracy. Similarly no warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission from this MSDS nor will Reckitt Benckiser assume any liability for any loss or damage arising out of the use of this information. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.

KEY/LEGEND

ADG = Australian Code for the Transport of Dangerous Goods by Road and Rail
DG = Dangerous Goods
IATA = International Air Transport Association
IMDG = International Maritime Dangerous Goods
NOHSC = National Occupational Health and Safety Commission (Australia)
SUSDP = Standard for the Uniform Scheduling of Drugs and Poisons (Australia)
TGA = Therapeutic Goods Administration (Australia)

This document is only current on the day of viewing. Printed copies are UNCONTROLLED unless they are a part of a Quality/ Technical Manual or attached to a letter referring to Purchase Order Number. END OF DOCUMENT.