

**Document Code:** 31441 - SD AU

**Version:** 5.0

**Description:** Mortein Easy Reach Surface Spray Aerosol

**Status:** Published

**Revision Reason:** Outer case change from 12 to 9

**Issue Date:** 16 Mar 2010

PSDS

PSDS

PAGE 1 OF TOTAL 6

## 1. PRODUCT and COMPANY IDENTIFICATION

**Product Name** Mortein Easy Reach Surface Spray Aerosol

**Other Names** None

**Product Code(s)** 0267466 250g  
0267445 350g

**Recommended Use** Household insecticide aerosol spray.

### **Supplier**

#### **AUSTRALIA**

**COMPANY:** Reckitt Benckiser (Australia) Pty Limited  
**ABN:** 17 003 274 655  
**ADDRESS:** 44 Wharf Road  
West Ryde NSW 2114  
**TELEPHONE:** (02) 9857 2000

**AFTER HOURS EMERGENCY TELEPHONE**  
(5pm to 8am EST Australia): (02) 9857 2444

#### **NEW ZEALAND**

**COMPANY:** Reckitt Benckiser (New Zealand) Limited  
**ADDRESS:** Lincoln Manor  
289 Lincoln Road  
Henderson Auckland 1231  
**TELEPHONE:** (09) 839 0200

### **Poisons Centre Information**

**AUSTRALIA** 13 1126  
**NEW ZEALAND** 0800 764 766 or 0800 POISON

## 2. HAZARD(S) IDENTIFICATION

**HAZARDOUS ACCORDING TO NOHSC CRITERIA  
DANGEROUS GOODS ACCORDING TO ADG CODE (See Section 14)**

**RISK PHRASE(S)** (See Section 15) R12 Extremely Flammable  
R38 Irritating to the skin  
R52/53 Harmful to aquatic organism, May cause long-term adverse effects in the aquatic environment.

**SAFETY PHRASE(S)** S2 Keep out of the reach of children  
S16 Keep away from sources of ignition, no smoking  
S23 Do not breath gas/fumes/vapours/spray  
S24/25 Avoid contact with skin and eyes  
S26 In case of contact with eyes rinse immediately with plenty of water and seek medical advice  
S46 If swallowed seek medical advice immediately and show this container or label

---

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

---

Chemical Name	CAS No	Proportion (%w/w)
Cypermethrin	52315-07-8	0.200
Imiprothrin	72963-72-5	0.070
Butylated hydroxytoluene	128-37-0	<10
D-Limonene	5989-27-5	<10
Precipitated amorphous silica	112926-00-8	<10
Hydrocarbon solvent	64771-72-8	>60
Hydrocarbon propellant <sup>1</sup>	106-97-8 / 74-98-6	30 - 60
Other ingredients classified as not hazardous according to NOHSC		to 100

<sup>1</sup>Our supplier of butane has provided documentation stating that the butane component contains less than 0.1%w/w 1,3 butadiene.

---

**4. FIRST AID MEASURES**

---

<b>Eye Contact</b>	Wash eyes with large amount of water. If irritation occurs and persists, contact a doctor.
<b>Skin Contact</b>	Wash skin with warm water and soap. If irritation persists, contact a doctor.
<b>Inhalation</b>	Remove patient to fresh air. If breathing difficulties are experienced, seek medical attention.
<b>Ingestion</b>	Give 2 glasses of water to drink. Contact a doctor or a Poisons Information Centre
<b>Advice to Doctor:</b>	Treat symptomatically.

---

**5. FIRE-FIGHTING MEASURES**

---

<b>Specific Dangers</b>	Aerosol cans may explode with extreme heat and become projectiles.
<b>Flammability</b>	Flammable.
<b>Extinguisher Type</b>	Water, foam, carbon dioxide,
<b>Hazchem code</b>	2YE

---

## 6. ACCIDENTAL RELEASE MEASURES

### Emergency and Evacuation

**Procedures** Keep area well ventilated. Remove sources of ignition.

**Minor Spills** Wipe up spills with a clean dry cloth. Wash away residues with water.

**Major Spills** Contain spill. Collect using a suitable absorbing material such as vermiculite. Shovel material into clean, dry, labelled containers and close lids. Do not allow product to enter waterways.

## 7. HANDLING AND STORAGE

**Handling** DG Class 2.1 (AEROSOLS). Handle accordingly.  
Avoid contact with eyes.  
Do not pierce or burn can after use.  
Do not spray onto a naked flame or any incandescent material.

**Storage** DG Class 2.1 (AEROSOLS). Store accordingly.  
Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C.

## 8. EXPOSURE AND PERSONAL PROTECTION

### Exposure Standards - Australia

Exposure Standards<sup>(1)</sup> have been set for the following ingredients:

Ingredient	CAS No. <sup>(a)</sup>	TWA		STEL		Carcinogen Category	Notes
		ppm <sup>(b)</sup>	mg/m <sup>3(c)</sup>	ppm <sup>(b)</sup>	mg/m <sup>3(c)</sup>		
Butane	106-97-8	800	1900	-	-	-	-
Propane	74-98-6	-	-	-	-	-	asphyxiant
Butylated hydroxytoluene	128-37-0	-	10	-	-	-	-
Precipitated amorphous silica	112926-00-8	-	10	-	-	-	-

TWA = Time Weighted Average

STEL = Short Term Exposure Limit

<sup>(1)</sup> Worksafe Australia Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003 1995]

<sup>(3)</sup> Workplace Exposure Standards endorsed by the Occupational Safety and Health Service (OSH) of the Department of Labour; Revised: January 2002

<sup>(a)</sup> CAS #, Chemical Abstracts Service Registry. A unique numbering identifier is assigned to each individual chemical.

<sup>(b)</sup> Parts of vapour or gas per million of contaminated air by volume at 25°C and 760 torr.

<sup>(c)</sup> Milligrams of substance per cubic metre of air.

**Engineering Controls** Keep areas well ventilated. Maintain air concentrations below exposure standards.

**Personal Protection** When handling bulk quantities, wear suitable gloves, protective clothing and safety glasses. Where ventilation is insufficient, a suitable respirator should be worn.

**Work/Hygienic Practices** Wash thoroughly with soap and water after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

<b>Physical State</b>	Aerosol
<b>Appearance</b>	Fine mist
<b>Colour</b>	Colourless
<b>Boiling Point</b>	0°C (butane)
<b>Vapour Pressure</b>	240 kPa @ 16°C (butane)
<b>Density</b>	0.750 - 0.760 g/mL @ 25°C (concentrate)
<b>Flashpoint</b>	-60°C (butane)
<b>Solubility in Water</b>	Immiscible

---

## 10. STABILITY AND REACTIVITY

---

<b>Stability</b>	Stable under normal conditions.
<b>Dangerous Reactions</b>	Aerosol cans may explode when subject to extremes of heat or pressure and may become projectiles.
<b>Conditions to Avoid</b>	Prolonged exposure to high temperatures. Avoid extreme heat and pressures. Do not incinerate or puncture cans.
<b>Decomposition Products</b>	Products may include oxides of carbon and nitrogen.

---

## 11. TOXICOLOGICAL INFORMATION

---

<b>Product Toxicity</b>	Toxicological testing of the concentrate of a similar product has been undertaken and found to be a skin irritant (rabbit).
<b>Acute Effect(s) Eye</b>	May cause irritation to the eyes.
<b>Skin</b>	Will cause irritation to the skin.
<b>Inhaled</b>	Mists / vapours may cause irritation to the upper respiratory tract.
<b>Swallowed</b>	Not likely to be route of exposure.
<b>Sensitisation</b>	Not expected to be a skin sensitiser.
<b>Chronic Effect(s)</b>	The chronic toxicity of this product has not been determined.
<b>Toxicity Information</b>	Information is based on available component data and toxicity result of a similar product.

---

## 12. ECOLOGICAL INFORMATION

---

<b>Ecotoxicity</b>	Based on the component ecotoxicology, it is harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
--------------------	---

---

### 13. DISPOSAL CONSIDERATIONS

---

**Disposal Method** Product should be treated according to the instructions given under sections 6,7 and 8 above.  
Dispose of according to Local, State and Federal regulations. Contact relevant authority for details.

---

### 14. TRANSPORT INFORMATION

---

#### Road Transport Regulations (ADG 7)

UN number: UN 1950  
Proper shipping name: AEROSOLS  
DG class: 2.1  
Subsidiary risk: None allocated  
Packing group: None allocated  
Hazchem code: 2YE

#### Maritime Transport Regulations (IMDG)

UN number: UN 1950  
Proper shipping name: AEROSOLS  
DG class: 2.1  
Subsidiary risk: None allocated  
Packing group: None allocated  
Marine Pollutant: Not a Marine Pollutant

#### Air Transport Regulations (IATA)

UN number: UN 1950  
Proper shipping name: AEROSOLS, FLAMMABLE  
DG class: 2.1  
Subsidiary risk: None allocated  
Packing group: None allocated.

---

### 15. REGULATORY INFORMATION

---

#### AUSTRALIA

**Regulatory Status** This product has been approved by the Australian Pesticides and Veterinary Medicines Authority (APVMA), Approval No. 55217.

**Hazardous Substances Regulation** Hazardous.

**Risk Phrase(s)** R12 Extremely Flammable  
R38 Irritating to skin  
R52/53 Harmful to aquatic organism, May cause long-term adverse effects in the aquatic environment.

**Safety Phrase(s)** S2 Keep out of the reach of children  
S16 Keep away from sources of ignition, no smoking  
S23 Do not breath gas/fumes/vapours/spray  
S25 Avoid contact with eyes  
S26 In case of contact with eyes rinse immediately with plenty of water and seek medical advice  
S46 If swallowed seek medical advice immediately and show this container or label

**Additional Safety Phrase(s)** Do not spray on a naked flame or any incandescent material  
Pressurised container; protect from sunlight and do not expose to temperatures exceeding 50°C.  
Do not pierce or burn even after use.

---

**16. OTHER INFORMATION**

---

**CONTACT POINT****AUSTRALIA & NEW ZEALAND:**

Regulatory, Safety &amp; Environmental Services

Within Australia            Ph: (02) 9857 2000

Outside Australia        Ph: 61 (02) 9857 2000

The information contained in this MSDS was compiled using the latest and most reliable information available to Reckitt Benckiser. The information is provided without any warranty, expressed or implied regarding its correctness or accuracy. Similarly no warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission from this MSDS nor will Reckitt Benckiser assume any liability for any loss or damage arising out of the use of this information. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.

---

This document is only current on the day of viewing. Printed copies are UNCONTROLLED unless they are a part of a Quality/ Technical Manual or attached to a letter referring to Purchase Order Number. END OF DOCUMENT.